

Highlighted = Priority guideline for development

## **Adult Guidelines**

### **Cardiology (7)**

ACS  
Arrhythmias  
Atrial Fibrillation  
ICD's  
Pericarditis  
SVT  
Syncope

### **Dermatology (3)**

Blistering skin conditions  
Cellulitis  
Eczema

### **Endocrinology (10)**

DKA  
Hyperosmolar Hyperglycaemic State  
Hypercalcaemia  
Hypocalcaemia  
Hypoglycaemia  
Hyperkalaemia  
Hypokalaemia  
Hypernatraemia  
Hyponatraemia  
Thyrotoxicosis

### **End of life care (1)**

Organ donation

### **Gastroenterology (5)**

Diarrhoea  
Diverticular Disease  
Ulcerative colitis  
Variceal bleed

### **Haematology (7)**

Anticoagulation in VTE  
Bleeding Disorders  
Massive Transfusion  
NOAC reversal  
Prothrombin complex concentrate  
Thromboprophylaxis  
**Warfarin reversal**

### **Infectious Diseases (2)**

Blood borne fluid exposure  
Meningitis

### **Management (4)**

Fitness to Drive  
Frequent attenders  
Overcrowding  
Patient who absconds

### **Nephrology (6)**

Acute Renal Failure  
Haemolytic Uraemic Syndrome  
Hydronephrosis  
Polycystic kidney disease  
Pyelonephritis  
Urinary tract infection

### **Neurology (8)**

Confusion  
Delirium  
Headache  
Serotonin syndrome  
Stroke  
Subarachnoid haemorrhage  
TIA  
Vertigo

### **Obstetrics and Gynaecology (11)**

Anti D  
Eclampsia  
Ectopic pregnancy  
Emergency contraception  
PID  
Pregnancy abdominal pain  
Pregnancy antepartum haemorrhage  
Pregnancy post partum haemorrhage  
Pregnancy prolapsed cord  
Pregnancy Trauma  
Pregnancy VTE

### **Orthopaedics and soft tissue emergencies (11)**

Back pain

Bursitis  
Carpal tunnel syndrome  
Cauda equina  
Cellulitis  
Cervical spine injuries  
De quervains tenosynovitis  
Monoarthritis  
Neck of femur fracture  
Osteomyelitis  
Scaphoid – suspected fractures

### **Ophthalmology (1)**

Red eye

### **Pain management (6)**

Analgesia  
Haematoma Block  
IN fentanyl/midazolam/naloxone  
Methoxyflurane  
Neuropathic pain  
Regional anaesthesia

### **Procedures (13)**

Arterial Line insertion  
Backslab application  
Cricothyroidotomy  
Haematoma Block  
Infusions  
IO access  
Joint Aspiration  
NG tube insertion  
NIV use  
Peg tube replacement  
Rapid sequence induction  
Thomas splint application  
Thoracotomy

### **Psychiatry (3)**

Dystonic reaction  
Involuntary admission  
Rapid tranquilisation

### **Respiratory (5)**

Acute Respiratory failure  
Asthma

Pneumonia  
Pneumothorax  
Pulmonary Embolism

**Surgery (4)**

AAA rupture  
Acute pancreatitis  
Appendicitis  
Burns

**Toxicology (3)**

Carbon Monoxide poisoning  
Digoxin Toxicity  
Paracetamol overdose

**Trauma (4)**

Blunt abdominal trauma  
Major Trauma  
Sexual assault  
Tranexamic Acid in trauma

**Urology (4)**

Haematuria  
Testicular mass  
Ureteric colic  
Urinary retention

## Paediatric Guidelines

<b>Adolescent patient: engaging with adolescent</b>
<b>Advance directives, withholding or withdrawing of life sustaining treatment</b>
<b>Airway: Acute paediatric intubation</b>
<b>Airway: Acute upper airway obstruction</b>
<b>Airway: Emergency airway management</b>
<b>Airway: NIV</b>
<b>Airway: Tape a Oral, nasal endotracheal tube</b>
<b>Allergy / Derm: Urticaria</b>
<b>Allergy: Anaphylaxis</b>
<b>Allergy: Latex allergy</b>
<b>Analgesia and) Sedation (in the emergency Dept)</b>
<b>Analgesia: Bier's block</b>
<b>Analgesia: Intranasal fentanyl</b>
<b>Analgesia: ketamine use, ketamine sedation</b>
<b>Analgesia: Pain management</b>
<b>Analgesia: Patient (and nurse) controlled analgesia</b>
<b>Analgesia: Sucrose for procedural pain management in infants</b>
<b>Cerebral palsy</b>
<b>Cerebral palsy - chest infection</b>
<b>Cerebral palsy - increased seizures</b>
<b>Cerebral palsy - pain and irritability</b>
<b>Dental conditions - non traumatic</b>
<b>Derm: HSP</b>
<b>Derm: HSV gingivostomatitis</b>
<b>Derm: Molluscum</b>
<b>Derm: Nappy rash</b>
<b>Derm: Neonatal and infant skin care</b>
<b>Dermatology: Eczema</b>
<b>Dermatology/ID: Fever and petechiae</b>

<b>Endo: Adrenal crisis, acute adrenal insufficiency</b>
<b>Endo: Diabetes mellitus</b>
<b>Endo: Diabetic Ketoacidosis</b>
<b>ENT: Epistaxis</b>
<b>ENT: Nasal discharge persistent rhinosinusitis</b>
<b>Eye: Acute red eye</b>
<b>Foreign body ingested</b>
<b>Foreign body inhaled</b>
<b>Gynae /Adolescent: heavy menstrual bleeding</b>
<b>Gynae /Adolescent: lower abdo pain</b>
<b>Gynae /Adolescent: STIs</b>
<b>Gynae /Adolescent: vulval ulcers</b>
<b>Gynae, Prepubescent: vulvovaginitis</b>
<b>Haem: bleeding disorders</b>
<b>Haem: Sickle cell / ID: Fever and sickle cell</b>
<b>Haem: Sickle cell disease</b>
<b>Haem: vWD</b>
<b>Haemophilia</b>
<b>Hosp: CVAD (central venous access device)</b>
<b>Hosp: Enteral feeding and medication incl NGT feeding</b>
<b>Hosp: Extravasation injury management</b>
<b>Hosp: Intravenous fluids</b>
<b>Hosp: IO insertion</b>
<b>Hosp: Lumbar puncture</b>
<b>Hosp: Play therapy</b>
<b>Hosp: Radiology guidelines for the ED</b>
<b>Hosp: referring patients for specific patient protocol to the ED</b>
<b>Hosp: Suprapubic aspiration</b>
<b>Hosp: Surgical speciality referral guidelines</b>
<b>Hosp: Transfer: CART; Children at risk of transfer</b>
<b>Hosp: Transition from children - adult services</b>

<b>Hosp: Triage</b>
<b>Hyperammonaemia</b>
<b>Hyperkalaemia</b>
<b>Hypernatraemia</b>
<b>Hypoglycaemia</b>
<b>Hyponatraemia</b>
<b>Hypothermia</b>
<b>ID / ENT: Otitis Media (Acute)</b>
<b>ID / ENT: Sore throat, tonsillectomy indication</b>
<b>ID / haem: Febrile neutropenia</b>
<b>ID: Cellulitis and skin infections /skin, soft tissue</b>
<b>ID: Chickenpox</b>
<b>ID: Croup</b>
<b>ID: CSF interpretation</b>
<b>ID: Ebola</b>
<b>ID: Epiglottitis</b>
<b>ID: Febrile child</b>
<b>ID: Gastroenteritis</b>
<b>ID: Illness, Fever in recently returned traveller</b>
<b>ID: Influenza, swine flu</b>
<b>ID: Malaria</b>
<b>ID: Meningitis &amp; encephalitis</b>
<b>ID: Meningococcal disease</b>
<b>ID: Needle stick injury</b>
<b>ID: Osteomyelitis and septic arthritis</b>
<b>ID: Pertussis</b>
<b>ID: Pneumonia: Community acquired pneumonia</b>
<b>ID: Sepsis / Septic shock (inclMeningococcaemia)</b>
<b>Infant: ALTE</b>
<b>infant: Apnoea (neonatal)</b>
<b>Infant: Bronchiolitis</b>
<b>Infant: Bronchiolitis: HHFNC oxygen therapy for use in patients with viral bronchiolitis</b>

<b>Infant: Colic</b>
<b>Infant: Cyanotic episode spells</b>
<b>Infants: Gastro-Oesophageal reflux</b>
<b>Infants: Jaundice in early infancy, phototherapy</b>
<b>Infants: Laryngomalacia</b>
<b>Neuro: Ataxia</b>
<b>Neuro: Bell's palsy</b>
<b>Neuro: Stroke in childhood</b>
<b>Neurosurgical transfers (time critical)</b>
<b>Nocturnal enuresis</b>
<b>Paeds / Neuro: Ketogenic diet acute illness management</b>
<b>Paeds: AKI guidelines</b>
<b>Paeds: Anaemia</b>
<b>Paeds: Angioedema - C1 esterase inhibitor deficiency</b>
<b>Paeds: Arthritis, acutely swollen joint</b>
<b>Paeds: Asthma, aminophylline use in,</b>
<b>Paeds: Cardiology</b>
<b>Paeds: Cervical lymphadenopathy</b>
<b>Paeds: Chest pain</b>
<b>Paeds: Chronic fatigue syndrome / ME</b>
<b>Paeds: Coma, Acute decrease conscious level</b>
<b>Paeds: Constipation</b>
<b>Paeds: Cough</b>
<b>Paeds: Death of a child</b>
<b>Paeds: Dehydration</b>
<b>Paeds: Diabetes insipidus</b>
<b>Paeds: Failure to thrive / Poor growth</b>
<b>Paeds: Gastrointestinal bleeding</b>
<b>Paeds: GORD</b>
<b>Paeds: Haematuria</b>
<b>Paeds: Headache</b>
<b>Paeds: Hypertension</b>



<b>Paeds: ITP</b>
<b>Paeds: Kawasaki disease</b>
<b>Paeds: Metabolic disorders</b>
<b>Paeds: Nephrotic syndrome</b>
<b>Paeds: Oesophageal variceal bleed</b>
<b>Paeds: Serotonin syndrome</b>
<b>Paeds: SVT</b>
<b>Paeds: Syncope</b>
<b>Paeds: Torticollis</b>
<b>Paeds: UTI</b>
<b>Paeds: Vitamin D deficiency</b>
<b>PH: Breastfeeding support and promotion</b>
<b>PH: Obesity</b>
<b>PH: Safe sleeping</b>
<b>PH: Smoking parents</b>
<b>Pharmacy: Adverse drug reaction reporting</b>
<b>Pharmacy: Antibiotics</b>
<b>Pharmacy: Anticoagulation guideline, therapy</b>
<b>Pharmacy: Emergency Drug Doses</b>
<b>Pharmacy: Heparin infusion</b>
<b>Pharmacy: Hospital formulary</b>
<b>Pharmacy: IV Ig</b>
<b>Pneumothorax Thoracocentesis</b>
<b>Pneumothorax, Primary spontaneous</b>
<b>Poisoning: Acute poisoning, guideline for initial management</b>
<b>Poisoning: Anticonvulsant</b>
<b>Poisoning: Antihistamine</b>
<b>Poisoning: Benzodiazepines</b>
<b>Poisoning: Essential oils</b>
<b>Poisoning: ethanol</b>
<b>Poisoning: High risk low dose paediatric ingestions</b>
<b>Poisoning: Liquitab</b>

<b>Posoning: Alkalis poisoning</b>
<b>Psych: ADHD</b>
<b>Psych: Anorexia Nervosa</b>
<b>Psych: Autism and developmental disability</b>
<b>Psych: Depression</b>
<b>Psych: Emergency chemical restraint</b>
<b>Psych: Mental State Exam</b>
<b>Resuscitation guidelines</b>
<b>Resuscitation: Adrenaline, fluid bolus resuscitation</b>
<b>Seizures: Afebrile seizures</b>
<b>Seizures: Febrile convulsions</b>
<b>Seizures: Status epilepticus</b>
<b>Seizures: the fitting child</b>
<b>Social work / Public health referral from the ED</b>
<b>Social: Child abuse</b>
<b>Social: Child protection publications, sexual exploitation, physical signs child sexual abuse</b>
<b>social: death of a child</b>
<b>Social: Missing person notification in the ED</b>
<b>Social: Non-Accidental injury</b>
<b>Social: Substance abuse, alcohol</b>
<b>suprapubic aspiration</b>
<b>Surg: Abdominal pain</b>
<b>Surg: Button battery ingestion</b>
<b>Surg: Compartment syndrome</b>
<b>Surg: Intussusception</b>
<b>Surg: Pyloric stenosis</b>
<b>Temperature measurement, control</b>
<b>Tracheostomy: Emergency Paediatric Tracheostomy management ...</b>
<b>Trauma: Acute eye injuries, penetrating eye injury, neonatal eye exam</b>
<b>Trauma: ANP mgmt musculoskeletal injuries requiring Xray referral</b>

<b>Trauma: Bite injuries</b>
<b>Trauma: Burns</b>
<b>Trauma: cervical spine assessment, collar placement</b>
<b>Trauma: Cervical spine injury</b>
<b>Trauma: Chest drain insertion, management</b>
<b>Trauma: Dental injuries</b>
<b>Trauma: Fractures, Casting, fracture femur</b>
<b>Trauma: Head injury</b>
<b>Trauma: Lacerations, wound care</b>
<b>Trauma: Major Paeds trauma Primary Survey</b>
<b>Trauma: Major trauma</b>
<b>Trauma: Pelvic injuries</b>
<b>Trauma: Pulled elbow</b>
<b>Trauma: Spinal cord injury</b>
<b>Trauma: Straddle injuries</b>
<b>Trauma: Tetanus: Management of tetanus prone wounds</b>
<b>Trauma: Upper limb non use</b>
<b>Trauma: Use of TXA</b>
<b>Urology: Acute scrotal pain / swelling</b>
<b>Urology: Ballanitis</b>
<b>Urology: Penis and foreskin</b>